

Warren County Schools



Plant and Operations

2014-2015 Custodial Equipment Bid

One Team, One Goal, High Levels of Learning for All



Warren County Schools is accepting bids for the 2014-2015 school budget year, for custodial equipment on an “as on needed basis” during the budget year starting July 1, 2014 to June 30, 2015.

Complete Equipment Bid Tab Sheet (enclosed in this packet) and submit your bid on this form. Any comment is welcome to the item number for each product.

Specifications (enclosed in this packet) are the items the school system could be purchasing during this year (2014-2015). Prices for each item number must stay the same throughout the year, unless a promotion sale is coming from your company at a cheaper price.

Warren County Schools does not pay any taxes to the products under bid and does not pay for any shipping charges to delivered the product. The company will provide all of this at no charge to the Warren County School System.

Do note on that the company will provide the product fully assembled when description states as fully assembled. .

Sealed bids, subject to the conditions contained herein, will be accepted by the Warren County Financial Management Committee at the Warren County Administrative Building, Office of the Finance Department, 201 Locust Street, Suite 2, McMinnville, Tennessee, 37110



For bid specifications Warren County Financial Management Director Linda G. Hillis at (931)473-2381 ext. 1001 or by accessing the website www.warrencountyttn.gov

or more information regarding bids, please contact Warren County Schools Plant and Operations Warehouse and Supplies Management, Marlin Scott at (931)668-1246 or by accessing the website www.warrenschoools.com under bids.

Copies of this bid are on file and may be obtained at the

Office of the Finance Department
Warren County Administrative Office Building
201 Locust Street, Suite 2
McMinnville, Tennessee 37110

Custodial Equipment

	<table border="1"><tr><td>Item Number 1</td></tr><tr><td>Minuteman E Ride32 Rider Scrubber - 32" Disc, Quick Pack or Equal to it.</td></tr><tr><td><ol style="list-style-type: none">1. Battery powered rider scrubber with interchangeable 28" or 32", cylindrical or disc scrub decks.2. 32 gallon solution tank and 38 gallon recovery tank.3. Curved break-away swing rear squeegee assembly.4. Brush pressure: 2 settings, regular and heavy.5. Scrub speed is variable and programmable.6. 1 HP, 3-stage tangential bypass vacuum motor.</td></tr><tr><td>Quick pack includes 6V, 275 AH battery (6 required), 36V, 20 amp, 115 volt, 60 HZ automatic charger, 28" nylon brushes (2 required).</td></tr></table>	Item Number 1	Minuteman E Ride32 Rider Scrubber - 32" Disc, Quick Pack or Equal to it.	<ol style="list-style-type: none">1. Battery powered rider scrubber with interchangeable 28" or 32", cylindrical or disc scrub decks.2. 32 gallon solution tank and 38 gallon recovery tank.3. Curved break-away swing rear squeegee assembly.4. Brush pressure: 2 settings, regular and heavy.5. Scrub speed is variable and programmable.6. 1 HP, 3-stage tangential bypass vacuum motor.	Quick pack includes 6V, 275 AH battery (6 required), 36V, 20 amp, 115 volt, 60 HZ automatic charger, 28" nylon brushes (2 required).
Item Number 1					
Minuteman E Ride32 Rider Scrubber - 32" Disc, Quick Pack or Equal to it.					
<ol style="list-style-type: none">1. Battery powered rider scrubber with interchangeable 28" or 32", cylindrical or disc scrub decks.2. 32 gallon solution tank and 38 gallon recovery tank.3. Curved break-away swing rear squeegee assembly.4. Brush pressure: 2 settings, regular and heavy.5. Scrub speed is variable and programmable.6. 1 HP, 3-stage tangential bypass vacuum motor.					
Quick pack includes 6V, 275 AH battery (6 required), 36V, 20 amp, 115 volt, 60 HZ automatic charger, 28" nylon brushes (2 required).					
	<table border="1"><tr><td>Item Number 2</td></tr><tr><td>Minuteman E Ride26 Automatic Scrubber- 26" Disc, Quick Pack or Equal to it.</td></tr><tr><td><ol style="list-style-type: none">1. Dual side entry and 180 degree view. Fully variable solution flow rate.2. Removable debris box on cylindrical scrub deck.3. Two caster wheels ensure proper squeegee alignment. Turns 360 degrees on its own axis for exceptional maneuverability.4. In both cylindrical and disc systems, brushes are computer controlled to follow the contour of the floor. Disc models equipped with Aqua-Stop.5. Five position control panel. Structural steel tubing that is powder coated to resist corrosion and a rotationally molded polyethylene solution/recovery tank.</td></tr><tr><td>-210 AH battery, 12V; Charger -3/4 hp PM double reduction drive motor -1 hp, 3-stage tangential bypass vacuum motor</td></tr></table>	Item Number 2	Minuteman E Ride26 Automatic Scrubber- 26" Disc, Quick Pack or Equal to it.	<ol style="list-style-type: none">1. Dual side entry and 180 degree view. Fully variable solution flow rate.2. Removable debris box on cylindrical scrub deck.3. Two caster wheels ensure proper squeegee alignment. Turns 360 degrees on its own axis for exceptional maneuverability.4. In both cylindrical and disc systems, brushes are computer controlled to follow the contour of the floor. Disc models equipped with Aqua-Stop.5. Five position control panel. Structural steel tubing that is powder coated to resist corrosion and a rotationally molded polyethylene solution/recovery tank.	-210 AH battery, 12V; Charger -3/4 hp PM double reduction drive motor -1 hp, 3-stage tangential bypass vacuum motor
Item Number 2					
Minuteman E Ride26 Automatic Scrubber- 26" Disc, Quick Pack or Equal to it.					
<ol style="list-style-type: none">1. Dual side entry and 180 degree view. Fully variable solution flow rate.2. Removable debris box on cylindrical scrub deck.3. Two caster wheels ensure proper squeegee alignment. Turns 360 degrees on its own axis for exceptional maneuverability.4. In both cylindrical and disc systems, brushes are computer controlled to follow the contour of the floor. Disc models equipped with Aqua-Stop.5. Five position control panel. Structural steel tubing that is powder coated to resist corrosion and a rotationally molded polyethylene solution/recovery tank.					
-210 AH battery, 12V; Charger -3/4 hp PM double reduction drive motor -1 hp, 3-stage tangential bypass vacuum motor					

Custodial Equipment

	<table border="1"><tr><td>Item Number 3</td></tr></table> <p>Tennant T7 Ride On Scrubber - 26" Disk or Equal to it.</p> <p>Exclusive Hygienic tanks allow for easy access and sanitization, reducing mold, bacteria and other contaminants that can grow in enclosed tanks. Just scrubbed floors are immediately clean, dry and safe for traffic with ec-H20™ or FaST technologies. 235 AH 24 volt batteries. Delivers an advanced state of safety and cleanliness with award-winning FaST technology and a sound level of 75% quieter than competitive models. Brush Motor: (2) 0.6 hp. Propel Motor: 1.1 hp. 26" Disk, ea</p>	Item Number 3
Item Number 3		
	<table border="1"><tr><td>Item Number 4</td></tr></table> <p>Tennant T7 Ride On Scrubber - 32" Cylindrical or Equal to it.</p> <p>Exclusive Hygienic tanks allow for easy access and sanitization, reducing mold, bacteria and other contaminants that can grow in enclosed tanks. Just scrubbed floors are immediately clean, dry and safe for traffic with ec-H20™ or FaST technologies. 235 AH 24 volt batteries. Delivers an advanced state of safety and cleanliness and a sound level of 75% quieter than competitive models. Scrub Motor: (2) 0.75 hp. Vac Motor: 0.6 hp. 32" Cylindrical, ea</p>	Item Number 4
Item Number 4		

Custodial Equipment




	<table><tr><th>Item Number 5</th></tr><tr><td>Advance 2800 ST Rider Scrubber - 28" Disc, 310 AH</td></tr><tr><td>Specifications</td></tr><tr><td>Sound Pressure Level: (IEC 60704-1/ISO 11201) 66.7 dB A</td></tr><tr><td>Maximum Transport Speed: 3.91 mph</td></tr><tr><td>Maximum Cleaning Speed: 3.12 mph</td></tr><tr><td>Maximum Coverage Per Hour @ 3.12 MPH: 39,424 sq ft</td></tr><tr><td>Solution Tank: 28 gal.</td></tr><tr><td>Recovery Tank: 29 gal.</td></tr><tr><td>Flow Rates: 0.33 gal/min; 0.66 gal/min; 1.0 gal/min</td></tr><tr><td>Maximum Productivity Per Tankful: 85 minutes</td></tr><tr><td>Power Source: 24 VDC</td></tr><tr><td>Brush Speed: 260 rpm</td></tr><tr><td>Scrub Pressure: Regular Scrub: 85 lb; Heavy Scrub: 180 lb.</td></tr><tr><td>Minimum Aisle Turning Radius: 63"</td></tr><tr><td>Dimensions: 60" L x 51.7" H x 27.5" W</td></tr><tr><td>Maximum Width w/o Squeegee: 31"</td></tr><tr><td>Squeegee Width: 32.6"</td></tr><tr><td>Maximum Weight w/o Batteries: 536 lb.</td></tr><tr><td>Maximum Weight: Full solution tank and largest batteries) 1,451 lb.</td></tr><tr><td>Gradability Transport: 16%</td></tr><tr><td>Gradability Cleaning: 9%</td></tr><tr><td>Maximum PSI: Full tank and 200 lb rider: 175 PSI</td></tr></table>	Item Number 5	Advance 2800 ST Rider Scrubber - 28" Disc, 310 AH	Specifications	Sound Pressure Level: (IEC 60704-1/ISO 11201) 66.7 dB A	Maximum Transport Speed: 3.91 mph	Maximum Cleaning Speed: 3.12 mph	Maximum Coverage Per Hour @ 3.12 MPH: 39,424 sq ft	Solution Tank: 28 gal.	Recovery Tank: 29 gal.	Flow Rates: 0.33 gal/min; 0.66 gal/min; 1.0 gal/min	Maximum Productivity Per Tankful: 85 minutes	Power Source: 24 VDC	Brush Speed: 260 rpm	Scrub Pressure: Regular Scrub: 85 lb; Heavy Scrub: 180 lb.	Minimum Aisle Turning Radius: 63"	Dimensions: 60" L x 51.7" H x 27.5" W	Maximum Width w/o Squeegee: 31"	Squeegee Width: 32.6"	Maximum Weight w/o Batteries: 536 lb.	Maximum Weight: Full solution tank and largest batteries) 1,451 lb.	Gradability Transport: 16%	Gradability Cleaning: 9%	Maximum PSI: Full tank and 200 lb rider: 175 PSI
Item Number 5																								
Advance 2800 ST Rider Scrubber - 28" Disc, 310 AH																								
Specifications																								
Sound Pressure Level: (IEC 60704-1/ISO 11201) 66.7 dB A																								
Maximum Transport Speed: 3.91 mph																								
Maximum Cleaning Speed: 3.12 mph																								
Maximum Coverage Per Hour @ 3.12 MPH: 39,424 sq ft																								
Solution Tank: 28 gal.																								
Recovery Tank: 29 gal.																								
Flow Rates: 0.33 gal/min; 0.66 gal/min; 1.0 gal/min																								
Maximum Productivity Per Tankful: 85 minutes																								
Power Source: 24 VDC																								
Brush Speed: 260 rpm																								
Scrub Pressure: Regular Scrub: 85 lb; Heavy Scrub: 180 lb.																								
Minimum Aisle Turning Radius: 63"																								
Dimensions: 60" L x 51.7" H x 27.5" W																								
Maximum Width w/o Squeegee: 31"																								
Squeegee Width: 32.6"																								
Maximum Weight w/o Batteries: 536 lb.																								
Maximum Weight: Full solution tank and largest batteries) 1,451 lb.																								
Gradability Transport: 16%																								
Gradability Cleaning: 9%																								
Maximum PSI: Full tank and 200 lb rider: 175 PSI																								
	<table><tr><th>Item Number 6</th></tr><tr><td>Advance SC1500™ REV™ Stand-On Scrubber - 20", 140AH</td></tr><tr><td>Specifications</td></tr><tr><td>Machine Voltage: 24 V</td></tr><tr><td>Low Scrub Pressure Max: 51 lb.</td></tr><tr><td>High Scrub Pressure Max: 88 lb.</td></tr><tr><td>Max Transport Speed: 3 mph</td></tr><tr><td>Max Scrub Speed: 2.6 mph</td></tr><tr><td>Max Coverage: 26,400 ft²</td></tr><tr><td>Low Flow Rate: 0.16 gal/min or 75 minutes per solution tank</td></tr><tr><td>Medium Flow Rate: 0.35 gal/min or 34 minutes per solution tank</td></tr><tr><td>High Flow Rate: 0.5 gal/min or 24 minutes per solution tank</td></tr><tr><td>Squeegee Width: 26.5</td></tr><tr><td>Minimum Aisle Turn Width: 59.5"</td></tr></table>	Item Number 6	Advance SC1500™ REV™ Stand-On Scrubber - 20", 140AH	Specifications	Machine Voltage: 24 V	Low Scrub Pressure Max: 51 lb.	High Scrub Pressure Max: 88 lb.	Max Transport Speed: 3 mph	Max Scrub Speed: 2.6 mph	Max Coverage: 26,400 ft ²	Low Flow Rate: 0.16 gal/min or 75 minutes per solution tank	Medium Flow Rate: 0.35 gal/min or 34 minutes per solution tank	High Flow Rate: 0.5 gal/min or 24 minutes per solution tank	Squeegee Width: 26.5	Minimum Aisle Turn Width: 59.5"									
Item Number 6																								
Advance SC1500™ REV™ Stand-On Scrubber - 20", 140AH																								
Specifications																								
Machine Voltage: 24 V																								
Low Scrub Pressure Max: 51 lb.																								
High Scrub Pressure Max: 88 lb.																								
Max Transport Speed: 3 mph																								
Max Scrub Speed: 2.6 mph																								
Max Coverage: 26,400 ft ²																								
Low Flow Rate: 0.16 gal/min or 75 minutes per solution tank																								
Medium Flow Rate: 0.35 gal/min or 34 minutes per solution tank																								
High Flow Rate: 0.5 gal/min or 24 minutes per solution tank																								
Squeegee Width: 26.5																								
Minimum Aisle Turn Width: 59.5"																								

	Dimensions: 48.5" L x 24" W x 52.5" H
--	--

Custodial Equipment

	<table><tr><th>Item Number 7</th></tr><tr><td>ADFINITY X20R REV Scrubber or Equal to it.</td></tr><tr><td>Scrub Head Type: Random Orbit</td></tr><tr><td>Scrub Path: 20 in,</td></tr><tr><td>Max Productivity/hr: 26,400 ft. @ 3.0 mph</td></tr><tr><td>Scrub Pressure (2 settings)</td></tr><tr><td>Variable up to 50 lb</td></tr><tr><td>Extra Pressure up to 70 lb</td></tr><tr><td>Scrub Head Speed</td></tr><tr><td>Micro Scrubbing 2,250 rpm</td></tr><tr><td>Macro Scrubbing 30 rpm</td></tr><tr><td>Power Type: (2) 12 v batteries</td></tr><tr><td>Voltage 24V</td></tr></table>	Item Number 7	ADFINITY X20R REV Scrubber or Equal to it.	Scrub Head Type: Random Orbit	Scrub Path: 20 in,	Max Productivity/hr: 26,400 ft. @ 3.0 mph	Scrub Pressure (2 settings)	Variable up to 50 lb	Extra Pressure up to 70 lb	Scrub Head Speed	Micro Scrubbing 2,250 rpm	Macro Scrubbing 30 rpm	Power Type: (2) 12 v batteries	Voltage 24V
Item Number 7														
ADFINITY X20R REV Scrubber or Equal to it.														
Scrub Head Type: Random Orbit														
Scrub Path: 20 in,														
Max Productivity/hr: 26,400 ft. @ 3.0 mph														
Scrub Pressure (2 settings)														
Variable up to 50 lb														
Extra Pressure up to 70 lb														
Scrub Head Speed														
Micro Scrubbing 2,250 rpm														
Macro Scrubbing 30 rpm														
Power Type: (2) 12 v batteries														
Voltage 24V														
	<table><tr><th>Item Number 8</th></tr><tr><td>Advance Spectrum 18D Vacuum or Equal to it.</td></tr><tr><td>Dual Motor upright vacuum with 18" cleaning path, 4:1 hose and wand with onboard crevice and upholstery tools and extra bag. Superior productivity and filtration.</td></tr></table>	Item Number 8	Advance Spectrum 18D Vacuum or Equal to it.	Dual Motor upright vacuum with 18" cleaning path, 4:1 hose and wand with onboard crevice and upholstery tools and extra bag. Superior productivity and filtration.										
Item Number 8														
Advance Spectrum 18D Vacuum or Equal to it.														
Dual Motor upright vacuum with 18" cleaning path, 4:1 hose and wand with onboard crevice and upholstery tools and extra bag. Superior productivity and filtration.														
	<table><tr><th>Item Number 9</th></tr><tr><td>Advance Pacesetter 20HD Floor Machine or Equal to it</td></tr><tr><td>Advance Pacesetter 20HD Floor Machine, 20" pad diameter, 175rpm, 1.5hp, 115v dual capacitor motor, pad holder.</td></tr></table>	Item Number 9	Advance Pacesetter 20HD Floor Machine or Equal to it	Advance Pacesetter 20HD Floor Machine, 20" pad diameter, 175rpm, 1.5hp, 115v dual capacitor motor, pad holder.										
Item Number 9														
Advance Pacesetter 20HD Floor Machine or Equal to it														
Advance Pacesetter 20HD Floor Machine, 20" pad diameter, 175rpm, 1.5hp, 115v dual capacitor motor, pad holder.														

Custodial Equipment

	<p style="text-align: center;">Item Number 10</p> <p>Advance Aquaclean 16XP Extractor or Equal to it</p> <p>Advance Aquaclean 16XP Extractor, CRI deep cleaning seal of approval, with Smart Solutions dual cleaning mode, single spray jet technology, integrated spotting tool, 16" cleaning path, 8 gallon solution tank and detachable power cord.</p>
	<p style="text-align: center;">Item Number 11</p> <p>Advance AWD-320 Wet/Dry Vacuum or Equal to it.</p> <p>20GAL w/front mount squeegee</p>
	<p style="text-align: center;">Item Number 12</p> <p>Puma 3-Speed Air Mover or Equal to it.</p> <p>Puma 3-Speed Air Mover, Speed up dry time after finishing floors or extracting carpet. 3-speed air mover, 3/4 hp motor generates up to 3200 CFM. Injection molded fan for quiet operation. Simple, easy-to-use controls. 4 height adjustments. 42" power cord/safety orange.</p>

Warren County Schools 2014-2015 Custodial Equipment Bid Tab Sheet

Date: _____ Company: _____

Address: _____

Phone Number _____ Contact Name _____ Cell _____

Item No.	Description	Price Each	Comment
1	Minuteman E Ride32 Rider Scrubber - 32" Disc, Quick Pack or Equal to it.		
2	Minuteman E Ride26 Automatic Scrubber-26" Disc, Quick Pack or Equal to it.		
3	Tennant T7 Ride On Scrubber - 26" Disk or Equal to it.		
4	Tennant T7 Ride On Scrubber - 32" Cylindrical or Equal to it.		
5	Advance 2800 ST Rider Scrubber - 28" Disc, 310 AH		
6	Advance SC1500™ REV™ Stand-On Scrubber - 20", 140AH		
7	ADFINITY X20R REV Scruber or Equal to it.		
8	Advance Spectrum 18D Vacuum or Equal to it.		
9	Advance Pacesetter 20HD Floor Machine or Equal to it		
10	Advance Aquaclean 16XP Extractor or Equal to it		
11	Advance AWD-320 Wet/Dry Vacuum or Equal to it.		
12	Puma 3-Speed Air Mover or Equal to it.		